2026 / PRODUCT CATALOG

ENTRY DOORS

Modern design. Configuration choices. Practical dimensions.



45 DESIGN REFERENCES

SINGLE-LEAF & UNEQUAL DOUBLE-LEAF OPTIONS

A clear choice for every entrance

Compare the design, review its configuration, then select a listed size.

01 Explore the collection

Pages 03-47 show all 45 design groups with dedicated catalog references.

02 Review the configuration

Materials, listed metal thicknesses, core, hinges, locks and thresholds are retained by design.

03 Select a nominal size

All listed sizes use Height x Width in millimeters. A slash separates width alternatives.

04 Confirm the installation

Nominal size, overall frame/trim size and clear opening are different measurements.

SIZE LEGEND

* Inward-opening option is listed for this size.

F Exterior-flush inward-opening option is listed for this size.

Unmarked sizes retain the source listing without an added swing claim.

ED references are assigned for this catalog. Use the index to locate a design and its source page.

Metal thickness pairs are preserved as listed; confirm their panel/frame assignment in the order drawing.

ED-01 | Fluted Bronze

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Front panel	4.0 mm sculpted aluminum
Frame	2.0 mm zinc-titanium alloy
Core	Foam + internal reinforcement
Construction	Single-hook thermal break
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.


DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-02 | Metallic Accent

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	2.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	Shaped stainless-steel inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-03 | Fine Vertical Lines

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	2.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	Shaped stainless-steel inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-04 | Raised Header Options

Double-header and no-raised-header designs



DOUBLE HEADER



NO RAISED HEADER

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	2.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	Shaped stainless-steel inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.
No-raised-header illustration: total height 2135 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-05 | Twin Accent Lines

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	2.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	5 mm anti-pry steel + stainless inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 971	2250 x 1050
2150 x 971	2050 x 1160
2250 x 971	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 971: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-06 | Architectural Stripe

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	1.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	5 mm anti-pry steel + aluminum inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 971	2250 x 1050
2150 x 971	2050 x 1160
2250 x 971	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 971: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-07 | Wood-Look Inlay

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	1.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	4.0 mm sculpted aluminum inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Surface detail	Wood-look heat transfer
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-08 | Fluted Gray

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Panel material	Zinc-titanium alloy
Listed thickness	1.0 / 2.0 mm
Core	Foam + internal reinforcement
Detail	4.0 mm sculpted aluminum inlay
Header	Double header; concealed raised section
Hinges	Heavy-duty concealed; approx. 170 deg.
Seal	Sound-insulating EPDM seal
Finish	Anti-fingerprint fluorocarbon coating
Lock body	Self-balancing integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

2050 x 960: total height 2280 or 2380 mm.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1086 mm
Clear opening	1940 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-09 | Warm Minimalism

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal thickness	1.0 / 2.0 mm (as listed)
Core	Polyurethane foam
Header	Full-height concealed raised header
Hinges	Concealed; approx. 150 deg. opening
Seal	EPDM weather seal
Lock body	24B stainless-steel integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860
2050 x 860
2050 x 960
2150 x 960
2250 x 960
2050 x 1050
2150 x 1050
2250 x 1050
2050 x 1160
2150 x 1160
2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2275 x 1066 mm
Clear opening	1932 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-10 | Silver Accent

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal thickness	1.0 / 2.0 mm (as listed)
Core	Polyurethane foam
Header	Full-height concealed raised header
Hinges	Concealed; approx. 150 deg. opening
Seal	EPDM weather seal
Lock body	24B stainless-steel integrated lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860
2050 x 860
2050 x 960
2150 x 960
2250 x 960
2050 x 1050
2150 x 1050
2250 x 1050
2050 x 1160
2150 x 1160
2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2275 x 1072 mm
Clear opening	1932 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-11 | Horizontal Smart Handle

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.5 / 2.2 mm (source values)
Core	Full foam + internal reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Face recognition + automatic fingerprint
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 960
2150 x 960
2250 x 960
2050 x 1050
2150 x 1050
2250 x 1050
2050 x 1160
2150 x 1160
2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1130 mm	
Clear opening	1950 x 860 mm	Wall: 100 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-12 | Long Pull Handle

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Full foam + internal reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160


DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1130 mm	
Clear opening	1950 x 860 mm	Wall: 100 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-13 | Wood-Look Smart Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960*	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2272 x 1106 mm
Clear opening	1947 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-14 | Visual Smart Lock

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Built-in visual face / fingerprint lock
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1130 mm	
Clear opening	1950 x 860 mm	Wall: 100 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-15 | Decorative Center Strip

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Inlaid aluminum strip
Header	Full-height concealed raised header
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2260 x 1123 mm
Clear opening	1930 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-16 | Subtle Diamond Detail

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Header	Full-height concealed raised header
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2260 x 1123 mm
Clear opening	1930 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-17 | Flush Smart Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Built-in visual face / fingerprint lock
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860*	2150 x 1050
2050 x 960*	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1092 mm
Clear opening	1950 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-18 | Sculpted Header

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860 F	2150 x 1050 F
2050 x 960 F	2250 x 1050
2150 x 960 F	2050 x 1160 F
2250 x 960	2150 x 1160 F
2050 x 1050 F	2250 x 1160

F Exterior-flush inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2260 x 1109 mm	
Clear opening	1934 x 860 mm	Wall: 98 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-19 | Framed Vertical Inlay

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Inlaid aluminum strip
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2252 x 1114 mm
Clear opening	1950 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-20 | Narrow Metallic Accent

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Header	Full-height concealed raised header
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2265 x 1132 mm	
Clear opening	1934 x 860 mm	Wall: 95 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-21 | Fine Fluted Panel

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Spliced aluminum strip
Header	Full-height concealed raised header
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2263 x 1132 mm	
Clear opening	1934 x 860 mm	Wall: 95 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-22 | Light Fluted Panel

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Foam + internal reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860	2050 x 1050 F
1970 x 960	2150 x 1050
2050 x 860 F	2250 x 1050
2050 x 960 F	2050 x 1160 F
2150 x 960 F	2150 x 1160
2250 x 960	2250 x 1160

F Exterior-flush inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2084 x 1097 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-23 | Modern Gray

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860 F	2150 x 1050 F
2050 x 960 F	2250 x 1050
2150 x 960 F	2050 x 1160 F
2250 x 960 F	2150 x 1160
2050 x 1050 F	2250 x 1160

F Exterior-flush inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2260 x 1107 mm	
Clear opening	1934 x 860 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-24 | Concealed Header Detail

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Spliced aluminum strip
Header	Full-height concealed raised header
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860*	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960*	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2260 x 1107 mm	
Clear opening	1934 x 860 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-25 | Compact Header Detail

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Spliced aluminum strip
Seal	High-density sealing strip
Lock options	Fingerprint lock; 10-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860	2050 x 1050*
1970 x 960	2150 x 1050
2050 x 860	2250 x 1050
2050 x 960*	2050 x 1160*
2150 x 960*	2150 x 1160
2250 x 960	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2089 x 1107 mm	
Clear opening	1934 x 860 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-26 | Horizontal Texture

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Spliced aluminum strip
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2260 x 1107 mm
Clear opening	1934 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-27 | Minimal Gray

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc-magnesium alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Detail	Spliced aluminum strip
Seal	High-density sealing strip
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860*	2050 x 1050*
1970 x 960*	2150 x 1050*
2050 x 860*	2250 x 1050
2050 x 960*	2050 x 1160*
2150 x 960*	2150 x 1160
2250 x 960	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2260 x 1107 mm	
Clear opening	1934 x 860 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-28 | Floating Header

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1930 x 860	2250 x 1050*
1970 x 860 / 960*	2350 x 1050*
2050 x 900	1970 x 1160
2050 x 860 / 960*	2050 x 1160*
2150 x 860 / 960*	2150 x 1160*
2250 x 860	2250 x 1160*
2250 x 960*	2350 x 1160*
2350 x 960*	2050 x 1280
1970 x 1050	2150 x 1280
2050 x 1050*	2250 x 1280
2150 x 1050*	2350 x 1280

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2280 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-29 | Compact Modern Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1930 x 860
1970 x 860 / 960*
2050 x 900
2050 x 860 / 960*
2100 x 860 / 960*
2150 x 860 / 960*
2250 x 860
2250 x 960*
2350 x 960*
1970 x 1050
2050 x 1050*
2150 x 1050*
2250 x 1050*
2350 x 1050*
1970 x 1160
2050 x 1160*
2150 x 1160*
2250 x 1160*
2350 x 1160*
2050 x 1280
2150 x 1280
2250 x 1280
2350 x 1280

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2085 x 1076 mm
Clear opening	1934 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-30 | Minimal Compact Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1930 x 860
1970 x 860 / 960*
2050 x 900
2050 x 860 / 960*
2100 x 860 / 960*
2150 x 860 / 960*
2250 x 860
2250 x 960*
2350 x 960*
1970 x 1050
2050 x 1050*
2150 x 1050*
2250 x 1050*
2350 x 1050*
1970 x 1160
2050 x 1160*
2150 x 1160*
2250 x 1160*
2350 x 1160*
2050 x 1280
2150 x 1280
2250 x 1280
2350 x 1280

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2085 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-31 | Concealed Raised Header

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Header	Full-height concealed raised header
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860*
1970 x 960*
2050 x 860*
2050 x 960*
2150 x 960*
2250 x 960*
2350 x 960*
2050 x 1050*
2150 x 1050*
2250 x 1050*
2050 x 1160*
2150 x 1160*
2250 x 1160*

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2280 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-32 | Full Foam Wood-Look

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.2 / 2.2 mm (source values)
Core	Full foam filling
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Header	Full-height concealed raised header
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860 / 960	2050 x 1050 F
2050 x 860 F	2150 x 1050 F
2050 x 960 F	2250 x 1050 F
2150 x 860	2350 x 1050
2150 x 960 F	2050 x 1160
2250 x 860	2150 x 1160
2250 x 960	2250 x 1160
2350 x 960	2350 x 1160

F Exterior-flush inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2280 x 1097 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-33 | Full Foam Gray

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Listed thickness	1.2 / 2.2 mm (source values)
Core	Full foam filling
Hinges	Concealed installation of visible hinges
Edge design	Hook-and-rebate anti-pry edge
Header	Full-height concealed raised header
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860 / 960	2050 x 1050 F
2050 x 860 F	2150 x 1050 F
2050 x 960 F	2250 x 1050 F
2150 x 860	2350 x 1050
2150 x 960 F	2050 x 1160
2250 x 860	2150 x 1160
2250 x 960	2250 x 1160
2350 x 960	2350 x 1160

F Exterior-flush inward-opening option listed.


DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2280 x 1097 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-34 | Large-Display Smart Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Fingerprint lock; 10.5-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2256 x 1088 mm	
Clear opening	1934 x 860 mm	Wall: 98 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-35 | Wood-Look Display Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Fingerprint lock; 10.5-inch display
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960*	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**
Overall frame / trim	2280 x 1080 mm
Clear opening	1955 x 860 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-36 | Visual Smart Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Built-in visual fingerprint lock
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960*	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2256 x 1088 mm	
Clear opening	1934 x 860 mm	Wall: 98 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-37 | Compact Gray

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1930 x 860
1970 x 860
1970 x 960
2050 x 860*
2050 x 960*
2150 x 960*
2250 x 960*
2050 x 1050*
2150 x 1050*
2250 x 1050
2050 x 1160*
2150 x 1160
2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2094 x 1088 mm	
Clear opening	1934 x 860 mm	Wall: 98 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-38 | Clean Linear Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860 / 960*
2050 x 860 / 960*
2150 x 860 / 960*
2250 x 860 / 960*
2350 x 960*
2050 x 1050*
2150 x 1050*
2250 x 1050*
2350 x 1050*
2050 x 1160*
2150 x 1160*
2250 x 1160*
2350 x 1160*

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2103 x 1140 mm	
Clear opening	1934 x 865 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-39 | Fine Line Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.2 / 2.2 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Rear face	Matching design on both faces
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860 / 960*
2050 x 860 / 960*
2150 x 860 / 960*
2250 x 860 / 960*
2350 x 860 / 960*
2050 x 1050*
2150 x 1050*
2250 x 1050*
2350 x 1050*
2050 x 1160*
2150 x 1160*
2250 x 1160*
2350 x 1160*

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2103 x 1140 mm	
Clear opening	1934 x 865 mm	Wall: 93 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-40 | Fine Vertical Fluting

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1920 x 860	2250 x 1050*
1970 x 860 / 960*	2350 x 1050
2050 x 860 / 960*	2050 x 1160*
2050 x 900	2150 x 1160*
2150 x 860 / 960*	2250 x 1160*
2250 x 960*	2350 x 1160
2350 x 960	2050 x 1480
2050 x 1050*	2150 x 1480
2150 x 1050*	2050 x 1780

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-41 | Balanced Panel

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860	2250 x 960*
1970 x 960	2050 x 1050*
2050 x 860*	2150 x 1050*
2050 x 960*	2250 x 1050*
2150 x 860	2050 x 1160*
2150 x 960*	2150 x 1160
2250 x 860	2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-42 | Fine Fluted Lower Panel

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860*
2050 x 960
2150 x 860
2150 x 960*
2250 x 960*
2050 x 1050*
2150 x 1050*
2250 x 1050
2050 x 1160
2150 x 1160
2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-43 | Oak-Look Accent

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 860	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-44 | Warm Wood-Look

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

1970 x 860
1970 x 960
2050 x 860*
2050 x 960*
2150 x 860
2150 x 960*
2250 x 960*
2050 x 1050*
2150 x 1050*
2250 x 1050
2050 x 1160*
2150 x 1160
2250 x 1160

* Inward-opening option listed.

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2250 x 1076 mm	
Clear opening	1934 x 860 mm	Wall: 96 mm

Confirm the required frame, wall thickness and swing direction before ordering.

ED-45 | Light Metallic Entry

Single-leaf and unequal double-leaf designs



SINGLE LEAF



UNEQUAL DOUBLE LEAF

CONFIGURATION

Leaf thickness	100 mm (nominal)
Metal material	Zinc alloy
Listed thickness	1.0 / 2.0 mm (source values)
Core	Aluminum honeycomb + reinforcement
Hinges	Concealed installation of visible hinges
Lock body	Quick-action 9-bolt lock
Lock options	Standard handle; fingerprint optional
Threshold	Double-layer stainless steel

AVAILABLE NOMINAL SIZES / H x W (mm)

2050 x 860	2150 x 1050
2050 x 960	2250 x 1050
2150 x 960	2050 x 1160
2250 x 960	2150 x 1160
2050 x 1050	2250 x 1160

DIMENSIONAL EXAMPLE / OUTWARD OPENING

Nominal size	**2050 x 960 mm**	
Overall frame / trim	2256 x 1088 mm	
Clear opening	1934 x 860 mm	Wall: 98 mm

Confirm the required frame, wall thickness and swing direction before ordering.

Design reference index

Click a reference to open its product page. Source pages allow matching to the original brochure.

REF. / DESIGN		PDF / SOURCE
ED-01	Fluted Bronze	03 / 02
ED-02	Metallic Accent	04 / 03
ED-03	Fine Vertical Lines	05 / 04
ED-04	Raised Header Options	06 / 05
ED-05	Twin Accent Lines	07 / 06
ED-06	Architectural Stripe	08 / 07
ED-07	Wood-Look Inlay	09 / 08
ED-08	Fluted Gray	10 / 09
ED-09	Warm Minimalism	11 / 10
ED-10	Silver Accent	12 / 11
ED-11	Horizontal Smart Handle	13 / 12
ED-12	Long Pull Handle	14 / 13
ED-13	Wood-Look Smart Entry	15 / 14
ED-14	Visual Smart Lock	16 / 15
ED-15	Decorative Center Strip	17 / 16

REF. / DESIGN		PDF / SOURCE
ED-16	Subtle Diamond Detail	18 / 17
ED-17	Flush Smart Entry	19 / 18
ED-18	Sculpted Header	20 / 19
ED-19	Framed Vertical Inlay	21 / 20
ED-20	Narrow Metallic Accent	22 / 21
ED-21	Fine Fluted Panel	23 / 22
ED-22	Light Fluted Panel	24 / 23
ED-23	Modern Gray	25 / 24
ED-24	Concealed Header Detail	26 / 25
ED-25	Compact Header Detail	27 / 26
ED-26	Horizontal Texture	28 / 27
ED-27	Minimal Gray	29 / 28
ED-28	Floating Header	30 / 29
ED-29	Compact Modern Entry	31 / 30
ED-30	Minimal Compact Entry	32 / 31

REF. / DESIGN		PDF / SOURCE
ED-31	Concealed Raised Header	33 / 32
ED-32	Full Foam Wood-Look	34 / 33
ED-33	Full Foam Gray	35 / 34
ED-34	Large-Display Smart Entry	36 / 35
ED-35	Wood-Look Display Entry	37 / 36
ED-36	Visual Smart Entry	38 / 37
ED-37	Compact Gray	39 / 38
ED-38	Clean Linear Entry	40 / 39
ED-39	Fine Line Entry	41 / 40
ED-40	Fine Vertical Fluting	42 / 41
ED-41	Balanced Panel	43 / 42
ED-42	Fine Fluted Lower Panel	44 / 43
ED-43	Oak-Look Accent	45 / 44
ED-44	Warm Wood-Look	46 / 45
ED-45	Light Metallic Entry	47 / 46

Quotation details: reference / quantity / nominal size / required frame size / swing / finish / lock.

Configuration and dimension values follow the source brochure. Confirm the final specification per order.